C22 SERIES OVERVIEW
Dynamic Small Shelter

Description

The Celina Small Shelter has a frame design that reduces carry weight while keeping overall shelter strength. The design of each arch spreads stress evenly down to the base plates and stakes.

Features

- 100% from-ground installation
- Berry Amendment Compliant
- No added heavy machinery required
- Hinge attachments connect in seconds
- Minimal tool requirements
- 463L-Pallet optimized

Intended Uses

- Billeting
- Field hospitals
- Storage
- Offices
- Command centers
- General purpose

Specifications

- Resists wind speeds up to 90 mph with gusts up to 100 mph
- Withstands 20 psf of snow load for up to 4 hour
- Rain load of 4" per hour with 40 mph Winds
- Water resistant, flame retardant fabric (MIL-PRF vinyl laminate)

Optional Add-Ons

- Led lighting system
- HVAC/additional ducting
- Electrical supply systems
- Solid flooring
- Beds/cots
- Table/chairs
- Camouflage thermal flies
- Specialized liners

Made in USA

BERRY Amendment

GSA Contract Holder
Contract # GS-07F-5874P

C22 SERIES OVERVIEW
Dynamic Small Shelter

Enhancements:

Celina can retrofit standard shelter components to include resistance to and protection from chemical, biological, and radioactive contaminates, increase thermal efficiencies through treated fabrics, and layer manipulation to ensure safe and efficient use.

Arch/Purlin Installation

Fabric Installation

X-Bracing

Snow Load Testing

Inside the Dynamic Small Shelter

Insulated Liner

PRODUCT DATA SHEET

Part #: C22020X032-T

CELINA DYNAMIC SMALL SHELTER -TAN

CONTRACTOR NAME: Celina Tent Inc. (CELINA)			
1. PART NUMBER: C22020X032-T		**2. NSN**:	
3. NAME: Celina Dynamic Small Shelter	**4. TYPE:** Frame Structure, Expandable, Air-Transportable		**5. CLASS**: 00641
6. COLOR: Tan	**7. SUPPORT SYSTEM:** Frame		**8. SERIES:** C22
9. INTENDED USE: Multi-purpose Utility Shelter, Kitchen, Billeting, General Purpose, Command Post			
10. DIMENSIONS (IN FEET AND INCHES):	**LENGTH:** 32.5′	**WIDTH:** 20′	**HEIGHT: RIDGE:**10′ **EAVE:**
11. DIMENSIONS (EXTERNAL GUYED):	**LENGTH:** 32.5′	**WIDTH:** 26′	
12. SQUARE FEET INTERIOR: 650 sq. ft.			
13. WEIGHT (POUNDS, UNPACKAGED): 1,150 lbs	**14. WEIGHT (PACKAGED):** 1,550 lbs	**15. SHIPPING CUBE (PACKAGED):** 110 Cubic Feet	
16. SHIPPING CONTAINER:	**LENGTH:** 102″	**WIDTH:** 40″	**HEIGHT:** 48″
17. SET-UP TIME/NUMBER OF PERSONS: 4 People/30 Minutes		**18. STRIKE TIME/NUMBER OF PERSONS:** 4 People/30 Minutes	

19. PARTS INCLUDED (Include Quantity):
(1) Aluminum Frame, (1) mil-spec 14.5 oz vinyl cover, (2) end panels, (1) 15oz non-slip vinyl floor, (2) sets of end up rights, (1) 36″x84″ zipper entry, (2) vestibule connection flaps, (1) shelter connector flap, (4) windows, (1) internal liners, (1) lighting/electrical kit, (1) air plenum, (2) sets of 18″ ECU ports, (2) 6″ electrical cable ports, (32) double-headed stakes, (12) guy ropes, (1) stake puller, (1) wood crate, (1) 30-day spare/repair kit

20. DESCRIPTION:
Celina's 20′ x 32.5′ Dynamic Small Shelter is a modular system, designed to withstand 20 psf snow load, 90 mph wind load (100 mph gusts), and 4″ per hour rain load with 40 mph winds. This shelter is Berry Compliant.

GSA Contract Holder
Contract # GS-07F-5874P

MADE IN THE USA • BERRY AMENDMENT COMPLIANT

21. ACCESSORY AND SUPPORT EQUIPMENT:			
	PART NUMBER OR NSN:	**INCLUDED OR OPTIONAL:**	**DESCRIPTION:**
LIGHT SET Product Data Sheet		**INCLUDED**	(1) Light String with (6) 100-Watt Incandescent Light Bulbs and Steel Cages
ELECTRICAL OUTLET SET Product Data Sheet		**INCLUDED**	(2) Receptacle Lines with (12) 100V outlets per line.
		INCLUDED	(1) Single-phase power distribution box with (2) 20A GFCI breakers, (1) 20A
		INCLUDED	(1) 50', 20A Power Cable
FLOORING Product Data Sheet	**42013**	**INCLUDED**	(1) 15oz non-slip vinyl floor, grey
		OPTIONAL	See separate product data sheets for various Hard Flooring options.
HEATER Product Data Sheet		**OPTIONAL**	See separate product data sheets for various Heater options.
AIR CONDITIONER Product Data Sheet		**OPTIONAL**	See separate product data sheets for various Air Conditioner options.
GENERATOR Product Data Sheet		**OPTIONAL**	See separate product data sheets for various Generator options.
POWER DISTRIBUTION Product Data Sheet		**OPTIONAL**	See separate product data sheets for various Power Distribution options.
TRAILER MOUNTED SUPPORT SYSTEM Product Data Sheet			Not available at this time.
INSULATED LINER Product Data Sheet		**OPTIONAL**	See separate product data sheets for various Insulated Liner options.
INSULATED FLOORING Product Data Sheet		**OPTIONAL**	See separate product data sheets for various Insulated Flooring options.
22. SNOW LOAD: 20 psf	**23. WIND LOAD:** 90 mph		**24. RAIN LOAD:** 4" per hour with 40 mph winds

C26 SERIES OVERVIEW
Dynamic Medium Shelter

Description

Celina Medium Shelters use the same base frame system as the Small Shelter but it's made to cover larger spaces. Every arch is designed to provide stability and support for the shelter. Frame pieces fit together neatly, letting it pack into smaller shipping containers.

Features

- Standard widths range from 28' to 44'
- Completely packs out into 463L pallets
- Arches are lifted from ground level without special equipment
- Cross support bars connect by sliding into place
- Compatible with all of Celina's accessories
- Meets all US Military Shelter Standards
- Advanced pack-out for quick deployment
- Desert tan or camouflage green color options

Intended Uses

- Billeting
- Storage
- Vehicle maintenance
- Command center
- Communication facilities
- Offices
- Warehousing

Specifications

- Resists wind speeds up to 105 mph
- Withstands 8 psf of snow load for up to 4 hour
- Rain load of 4" per hour with 40 mph winds
- Water resistant, flame retardant fabric (MIL-PRF vinyl laminate)

Optional Add-Ons

- Led lighting system
- HVAC/additional ducting
- Electrical supply systems
- Solid flooring
- Beds/cots
- Table/chairs

Made in USA

BERRY Amendment

GSA Contract Holder
Contract # GS-07F-5874P

C26 SERIES OVERVIEW
Dynamic Medium Shelter

Enhancements:

Celina can retrofit standard shelter components to include resistance to and protection from chemical, biological, and radioactive contaminates, increase thermal efficiencies through treated fabrics, and layer manipulation to ensure safe and efficient use.

Frame Arch Segments

Arch/Purlin Installation

Insulated Liner Installation

Personnel Door and Maintenance Doors

Dynamic Medium Shelter

Vehicle Maintenance/Storage

PRODUCT DATA SHEET

Part #: C26030X052-T

CELINA DYNAMIC MEDIUM SHELTER -TAN

CONTRACTOR NAME: Celina Tent, Inc.			
1. PART NUMBER: C26030X052-T		**2. NSN**:	
3. NAME: Celina Dynamic Medium Shelter	**4. TYPE:** Frame Structure, Expandable, Air-Transportable		**5. CLASS**: 01530
6. COLOR: Tan	**7. SUPPORT SYSTEM:** Frame		**8. SERIES:** C26
9. INTENDED USE: Multi-purpose Utility Shelter, Kitchen, Billeting, General Purpose, Command Post			
10. DIMENSIONS (IN FEET AND INCHES):	**LENGTH:** 52′	**WIDTH:** 30′	**HEIGHT: RIDGE:** 15′ **EAVE:**
11. DIMENSIONS (EXTERNAL GUYED):	**LENGTH:** 52′	**WIDTH:** 38′	
12. SQUARE FEET INTERIOR: 1,534 sq. ft.			
13. WEIGHT (POUNDS, UNPACKAGED): 3,373 lbs	**14. WEIGHT (PACKAGED):** 4,035 lbs		**15. SHIPPING CUBE (PACKAGED):** 243 Cubic Feet
16. SHIPPING CONTAINER:	**LENGTH:** 104″	**WIDTH:** 84″	**HEIGHT:** 48″
17. SET-UP TIME/NUMBER OF PERSONS: 6 People/240 Minutes		**18. STRIKE TIME/NUMBER OF PERSONS:** 6 People/90 Minutes	

19. PARTS INCLUDED (Include Quantity):
(1) Aluminum Frame, (1) Mil-Spec 14.5 oz vinyl cover, (2) end panels, (1) 15 oz non-slip vinyl floor, (2) 11′x10.5′ maintenance doors, (2) 30″x80″ personnel door, (1) shelter connector flap, (6) windows, (1) lighting/electrical kit, (4) plenums, (4) 18″ ECU ports, (2) 6″ electrical cable ports, (48) double-headed stakes, (16) guy ropes, (1) stake puller, 3 wood crates, (1) 30-day spares/repair kit.

20. DESCRIPTION:
Celina's 30′ x 52′ Dynamic Medium Shelter is a modular system, designed to withstand 8 psf snow load, 105 mph wind load (100 mph gusts), and 4″ per hour rain load with 40 mph winds. This shelter is Berry Compliant.

GSA **Contract Holder**
Contract # GS-07F-5874P

MADE IN THE USA • BERRY AMENDMENT COMPLIANT

PRODUCT DATA SHEET

Part #: C26030X052-T

21. ACCESSORY AND SUPPORT EQUIPMENT:			
	PART NUMBER OR NSN:	**INCLUDED OR OPTIONAL:**	**DESCRIPTION:**
LIGHT SET Product Data Sheet		**INCLUDED**	(3) 400-watt metal halide lights.
ELECTRICAL OUTLET SET Product Data Sheet		**INCLUDED**	(2) Receptacle lines with (12) 100 V outlets per line
		INCLUDED	(2) Single phase power distribution boxes, each with (2) 20A GFCI Breakers, (1) 20A Breaker, (4) Twist lock cables connectors and (1) Light Switch
		INCLUDED	(1) 50', 20A Power Cable
FLOORING Product Data Sheet	**42002**	**INCLUDED**	(1) 15oz Non-Slip Vinyl Floor, Grey
		OPTIONAL	See separate product data sheets for various hard flooring and sub flooring options.
HEATER Product Data Sheet		**OPTIONAL**	See separate product data sheets for various heating options.
AIR CONDITIONER Product Data Sheet		**OPTIONAL**	See separate product data sheets for various Air Conditioner options.
GENERATOR Product Data Sheet		**OPTIONAL**	See separate product data sheets for various Generator options.
POWER DISTRIBUTION Product Data Sheet		**OPTIONAL**	See separate product data sheets for various Power Distribution options.
TRAILER MOUNTED SUPPORT SYSTEM Product Data Sheet			Not available at this time.
INSULATED LINER Product Data Sheet		**OPTIONAL**	See separate product data sheets for various Insulated Liner options.
INSULATED FLOORING Product Data Sheet		**OPTIONAL**	See separate product data sheets for various Insulated Flooring options.
22. SNOW LOAD: 8 psf	**23. WIND LOAD:** 105 mph		**24. RAIN LOAD:** 4" per hour with 40 mph Winds

Professional Engineer Stamp



C27 SERIES OVERVIEW
Celina Multi-Purpose Area Shelter System

Type I NSN: 5410-01-626-8712
Type II NSN: 5410-01-626-8713

CELINA

Description

Celina's Multi-purpose Area Shelter is designed to provide increased environmental protection and energy efficiency to the warfighter. The shelter is a field-proven subsystem within the U.S. Air Force's BEAR Kitchen System, and has been deployed to numerous locations worldwide. The system is supported by a lightweight, rigid framework and designed to be deployed within a moment's notice. It is transported in all shipping configurations (land, air and sea), and easily erected.

Features

- Type: General Purpose
- Aluminum Frame Support System
- Desert Tan or Camouflage Green Color Options
- Energy Efficiency
- Structural Exterior Weather Barrier Fabric
- Transported In All Shipping Configurations

Intended Uses

- Billeting
- Field Hospitals
- Storage
- Offices
- TOC's
- General Purpose
- Kitchens & Dining

Specifications

- Resists wind speeds up to 90 mph
- Withstands 10 psf of snow load
- Rain load of 4" per hour with 40 mph Winds
- Water resistant, flame retardant fabric (MIL-PRF vinyl)
- Type I NSN: 5410-01-626-8712
- Type II NSN: 5410-01-626-8713

Optional Add-Ons

- LED Lighting System
- Electrical System
- Ventilation System
- Heating/Air Conditioning
- Anchor System
- Environmental Control Connections
- Interior Insulation Kit
- Shelter Erection/Installation Kit

Made in USA

BERRY Amendment

GSA Contract Holder
Contract # GS-07F-5874P

C27 SERIES OVERVIEW
Celina Multi-Purpose Area Shelter System

Type I NSN: 5410-01-626-8712
Type II NSN: 5410-01-626-8713

CELINA



Type I
Kitchen System



Type II
Kitchen System

Multi-purpose Area Shelter

A multi-functional, portable, modular construction shelter, designed for the protection of personnel, as a maintenance facility for rotary or fixed wing aircraft and tactical vehicles. It may also be used for logistics support, staging bases, general warehouse areas, and other applications.

PRODUCT DATA SHEET

Part #: PD13WRNZAB1024-T • NSN: 5410-01-626-8713



MULTI-PURPOSE AREA SHELTER SYSTEM-TYPE II-TAN

CONTRACTOR NAME: Celina Tent, Inc.			
1. PART NUMBER: PD13WRNZAB1024-T		**2. NSN**: 5410-01-626-8713	
3. NAME: Multi-purpose Area Shelter System, Type-II	**4. TYPE:** Frame Structure, Expandable, Air-Transportable		**5. CLASS**: 01647
6. COLOR: Tan	**7. SUPPORT SYSTEM:** Frame		**8. SERIES:** C27
9. INTENDED USE: Multi-purpose Utility Shelter, Kitchen, Billeting, General Purpose, Command Post			
10. DIMENSIONS (IN FEET AND INCHES):	**LENGTH:** 80′	**WIDTH:** 20′4″	**HEIGHT: RIDGE:**12′11″ **EAVE:** 7′1″
11. DIMENSIONS (EXTERNAL GUYED):	**LENGTH:**	**WIDTH:**	
12. SQUARE FEET INTERIOR: 1,600 sq. ft.			
13. WEIGHT (POUNDS, UNPACKAGED): 11,000 lbs	**14. WEIGHT (PACKAGED):** 16,000 lbs	**15. SHIPPING CUBE (PACKAGED):** 1,172 Cubic Feet	
16. SHIPPING CONTAINER: 20′	**LENGTH:** 19′4″	**WIDTH:** 7′8″	**HEIGHT:** 7′10″
17. SET-UP TIME/NUMBER OF PERSONS: 6 People/7 Hours		**18. STRIKE TIME/NUMBER OF PERSONS:** 6 People/4 Hours	

19. PARTS INCLUDED (Include Quantity):
(1) Aluminum Frame, (1) Fabric Weathershell (exterior), (1) Vinyl Non-Slip Floor, (2) Soft End Walls, (2) 60″x82″ Latching Double Hard Doors (1 Per End Wall), (2) 6.5′W X 6′L X 7′H Vestibule with a Soft Zipper Door to Interface With End Wall Hard Doors (1) 6.5′W X 6′L X 7′H Vestibule with a Soft Zipper Door to Interface With Sidewall Soft Door (3) 49.75″x81″ Sidewall Soft Doors, (2) Sets of HVAC Ports, (1) Internal Plenum, (8) Utility Ports, (4) Exhaust Ports, (1) Repair Kit, (1) Anchoring System, (1) 20′ Shipping Container

20. DESCRIPTION:
Celina's Multi-purpose Area Shelter System (Type II) is designed to provide increased environmental protection and energy efficiency to the warfighter. The shelter is a field-proven subsystem within the U.S. Air Force's BEAR Kitchen System, and has been deployed to numerous locations worldwide. The system is supported by a lightweight, rigid framework and designed to be deployed within a moment's notice. It is transported in all shipping configurations (land, air and sea), and easily erected. Celina's Multi-purpose Area Shelter System is Berry Compliant and capable of being extended or complexed.

GSA Contract Holder
Contract # GS-07F-5874P

MADE IN THE USA • BERRY AMENDMENT COMPLIANT

PRODUCT DATA SHEET

Part #: PD13WRNZAB1024-T • NSN: 5410-01-626-8713

21. ACCESSORY AND SUPPORT EQUIPMENT:			
	PART NUMBER OR NSN:	**INCLUDED OR OPTIONAL:**	**DESCRIPTION:**
LIGHT SET Product Data Sheet		**INCLUDED**	
ELECTRICAL OUTLET SET Product Data Sheet		**INCLUDED**	
FLOORING Product Data Sheet		**OPTIONAL**	
HEATER Product Data Sheet		**OPTIONAL**	
AIR CONDITIONER Product Data Sheet		**OPTIONAL**	
GENERATOR Product Data Sheet		**OPTIONAL**	
POWER DISTRIBUTION Product Data Sheet		**INCLUDED**	
TRAILER MOUNTED SUPPORT SYSTEM Product Data Sheet			
INSULATED LINER Product Data Sheet		**INCLUDED**	
INSULATED FLOORING Product Data Sheet			
22. SNOW LOAD: 10 psf	**23. WIND LOAD:** 90 mph		**24. RAIN LOAD:** 4" per hour with 40 mph winds

PRODUCT DATA SHEET

Part #: PD13WRNZAB1014-T • NSN: 5410-01-626-8712



MULTI-PURPOSE AREA SHELTER SYSTEM-TYPE I-TAN

CONTRACTOR NAME: Celina Tent, Inc.			
1. PART NUMBER: PD13WRNZAB1014-T		**2. NSN**: 5410-01-626-8712	
3. NAME: Multi-purpose Area Shelter System, Type-I	**4. TYPE:** Frame Structure, Expandable, Air-Transportable		**5. CLASS**: 03294
6. COLOR: Tan	**7. SUPPORT SYSTEM:** Frame		**8. SERIES:** C27
9. INTENDED USE: Multi-purpose Utility Shelter, Kitchen, Billeting, General Purpose, Command Post			
10. DIMENSIONS (IN FEET AND INCHES):	**LENGTH:** 80′	**WIDTH:** 40′	**HEIGHT: RIDGE:**12′11″ **EAVE:** 7′1″
11. DIMENSIONS (EXTERNAL GUYED):	**LENGTH:**	**WIDTH:**	
12. SQUARE FEET INTERIOR: 3,200 sq. ft.			
13. WEIGHT (POUNDS, UNPACKAGED): 24,000 lbs	**14. WEIGHT (PACKAGED):** 29,072 lbs	**15. SHIPPING CUBE (PACKAGED):** 1,172 Cubic Feet	
16. SHIPPING CONTAINER: 20′	**LENGTH:** 19′4″	**WIDTH:** 7′8″	**HEIGHT:** 7′10″
17. SET-UP TIME/NUMBER OF PERSONS: 6 People/12 Hours		**18. STRIKE TIME/NUMBER OF PERSONS:** 6 People/6 Hours	

19. PARTS INCLUDED (Include Quantity):
(1) Aluminum Frame, (1) Fabric Weathershell (exterior), (1) Vinyl Non-Slip Floor, (4) Soft End Walls, (4) 60″x82″ Latching Double Hard Doors (1 Per End Wall), (4) 6.5′W X 6′L X 7′H Vestibule with a Soft Zipper Door to Interface With End Wall Hard Doors (4) 49.75″x81″ Sidewall Soft Doors, (2) 6.5′W X 6′L X 7′H Corridor to Interface with Soft Side Wall Doors, (2) Sets of HVAC Ports, (2) Internal Plenum, (8) Utility Ports, (4) Exhaust Ports, (1) Repair Kit, (1) Anchoring System, (1) 20′ Shipping Container

20. DESCRIPTION:
Celina's Multi-purpose Area Shelter System (Type I) is designed to provide increased environmental protection and energy efficiency to the warfighter. The shelter is a field-proven subsystem within the U.S. Air Force's BEAR Kitchen System, and has been deployed to numerous locations worldwide. The system is supported by a lightweight, rigid framework and designed to be deployed within a moment's notice. It is transported in all shipping configurations (land, air and sea), and easily erected. Celina's Multi-purpose Area Shelter System is Berry Compliant and capable of being extended or complexed.

GSA Contract Holder
Contract # GS-07F-5874P

MADE IN THE USA • BERRY AMENDMENT COMPLIANT

PRODUCT DATA SHEET

Part #: PD13WRNZAB1014-T • NSN: 5410-01-626-8712

21. ACCESSORY AND SUPPORT EQUIPMENT:			
	PART NUMBER OR NSN:	**INCLUDED OR OPTIONAL:**	**DESCRIPTION:**
LIGHT SET Product Data Sheet		**INCLUDED**	
ELECTRICAL OUTLET SET Product Data Sheet		**INCLUDED**	
FLOORING Product Data Sheet		**OPTIONAL**	
HEATER Product Data Sheet		**OPTIONAL**	
AIR CONDITIONER Product Data Sheet		**OPTIONAL**	
GENERATOR Product Data Sheet		**OPTIONAL**	
POWER DISTRIBUTION Product Data Sheet		**INCLUDED**	
TRAILER MOUNTED SUPPORT SYSTEM Product Data Sheet			
INSULATED LINER Product Data Sheet		**INCLUDED**	
INSULATED FLOORING Product Data Sheet			
22. SNOW LOAD: 10 psf	**23. WIND LOAD:** 90 mph		**24. RAIN LOAD:** 4" per hour with 40 mph winds

C23 SERIES OVERVIEW
Celina Large Area Maintenance Shelter (LAMS)

Description

The Celina LAMS allows for different uses for aircraft and vehicle maintenance as well as a general storage structure. Fully relocatable due to the modular design, the LAMS can be constructed with gable end walls or retractable eyelid doors. Celina LAMS are expeditionary, deployable, and Pre-Engineered.

Features

- Tan 686A (color #33446) or camouflage green 483 fabric color options
- Pre-Engineered Aluminum frame support system
- Gable wall and eyelid door options for maximum versatility
- Fully relocatable and ground deployable
- Pre-assemble hardware minimizing on-site assembly
- Integrated keder tracks for simple fabric attachment
- Modular design allows for expandability

Intended Uses

- General purpose
- Storage
- Maintenance
- Aircraft
- Vehicle
- Personal use (Gyms, DFAC)

Specifications

- Engineered to 90 mph wind load (up to 115 mph avail)
- Engineered 8 psf of snow for up to 12 hour (up to 20 psf avail)
- Rain load of 4" per hour with 40 mph winds
- Water resistant, flame retardant fabric
- Berry Amendment Compliant
- Designed to meet Modular Large Area Maintenance Shelter (MLAMS) Specification MIL-PRF-32504

Optional Add-Ons

- Wind bracing
- Portable solid flooring
- Climate control kits (ECU/liners)
- ISO shipping containers
- Metal roll up doors
- On-site installation including SME training and support options
- Secured Storage

Made in USA

BERRY Amendment

GSA Contract Holder
Contract # GS-07F-5874P

C23 SERIES OVERVIEW
Celina Large Area Maintenance Shelter (LAMS)

Intended Use Variations:

The Celina LAMS is a portable, temporary facility that is available in different styles:

- **Aviation** (**Type A**) allows aircrafts to be housed and serviced. Contains retractable Tri-Lid doors that open the entire width of the structure.
- **Vehicle** (**Type V**) has doors sized for various types of vehicles and also provides space for storage and maintenance.
- **Storage** (**Type S**) is the basic style used for general storage. Door options include standard personnel and vehicle door styles.
- **Drone** (**UAV**) wider width engineered design to house drone aircrafts.

SKU	Type	Dimensions	End Configurations
C23075X195TT	A	75′ W x 195′ L, 16′ Eaves	Tri Lid Ends
C23075X132TT	V	75′ W x 132′ L, 16′ Eaves	Tri Lid Ends
C23047X063GG	S	47′ W x 62.5′ L, 14′ Eaves	Gable Ends
C23052X063GG	S	52′ W x 62.5′ L, 16′ Eaves	Gable Ends
C23075X122TG	N/A	75′ W x 122′ L, 16′ Eaves	Tri Lid/Gable End
C23083X142TG	UAV	83′ W x 142′ L, 10′ Eaves	Tri Lid/Gable End
C23083X164TT	UAV	83′ W x 164′ L, 10′ Eaves	Tri Lid Ends

*Standard sizes listed LAMS attributes can be modified at the customer's request to provide shelters to match any need.

Gable end walls provide supports for personnel doors and entry ways

Eyelid doors allow for maximum clearance when entering the shelter

Keder fabric panels install quickly and easily

Standard beam design, including integrated keder track

Locking purlins provide enhanced stability across the shelter



Pre-Engineered with Professional Engineer stamp

PRODUCT DATA SHEET

Part #: C23052X50GG-T

CELINA LARGE AREA MAINTENANCE SHELTER (LAMS) - TAN

CONTRACTOR NAME: Celina Tent, Inc.			
1. PART NUMBER: C23052X50GG-T		**2. NSN:**	
3. NAME: Celina Large Area Maintenance Shelter LAMS/MLAMS	**4. TYPE:** Frame Structure, Expandable		**5. CLASS:** 02762
6. COLOR: Tan	**7. SUPPORT SYSTEM:** Frame		**8. SERIES:** C23
9. INTENDED USE: Maintenance Shelter: Aviation, Vehicle, Storage			
10. DIMENSIONS (IN FEET AND INCHES):	**LENGTH:** 50′	**WIDTH:** 52′	**HEIGHT: RIDGE:** 25′5″ **EAVE:** 16′
11. DIMENSIONS (EXTERNAL GUYED):	**LENGTH:** 50′	**WIDTH:** 62′	
12. SQUARE FEET INTERIOR: 2,600 sq. ft.			
13. WEIGHT (POUNDS, UNPACKAGED): 12,250 lbs	**14. WEIGHT (PACKAGED):** 14,866 lbs		**15. SHIPPING CUBE (PACKAGED):** 2,400 Cubic Feet
16. SHIPPING CONTAINER: (1) 40′ ISO Container	**LENGTH:** 40′-0″	**WIDTH:** 8′-0″	**HEIGHT:** 8′-6″
17. SET-UP TIME/NUMBER OF PERSONS: Max 8 Persons/192 man hours or less **TIME UNDER CANOPY:**		**18. STRIKE TIME/NUMBER OF PERSONS:** Max 8 Persons/144 man hours or less	

19. PARTS INCLUDED (Include Quantity):
(1) Aluminum Frame with (2) Gable Endwall , (1) Fabric Cover Kit, (2) Personnel Doors (Composite, Single), (1) LAMS Electrical/Lighting Kit (4-LED Lights / 8-outlets / 1-Panel Box), (2) Ventilators (External/Electric), (1) LAMS Installation tool kit, (1) 40′ ISO Shipping Container

20. DESCRIPTION:
Celina's 52′ x 50′ Large Area Maintenance Shelter (LAMS) is compliant with MIL-PRF-32504 (MLAMS) (AUG-2016). Each end of the shelter has gable end wall with sliding fabric doors. This shelter also includes vehicle and personnel side doors, allowing for easy access. Celina's LAMS are designed for various uses, including maintenance space, general purpose, general storage, training space, and aircraft hangers. This expeditionary shelter design is completely mobile and relocatable, and can be deployed on any ground type. Pre-assembled hardware allows for quick shelter installation. Celina's Large Area Maintenance Shelters are Berry Compliant.

GSA Contract Holder
Contract # GS-07F-5874P

MADE IN THE USA • BERRY AMENDMENT COMPLIANT

PRODUCT DATA SHEET

Part #: C23052X50GG-T

21. ACCESSORY AND SUPPORT EQUIPMENT:			
	PART NUMBER OR NSN:	**INCLUDED OR OPTIONAL:**	**DESCRIPTION:**
LIGHT SET Product Data Sheet	LAMSELEC4LT	**INCLUDED**	Included in **LAMS Electrical Kit** (4-LED Lights/8-Outlets)
ELECTRICAL OUTLET SET Product Data Sheet		**INCLUDED**	
FLOORING Product Data Sheet		**OPTIONAL**	Call for additional flooring options
HEATER Product Data Sheet	34456-50 (50hz) 34456 (60hz)	**OPTIONAL**	ECU Assembly, 10-Ton, 50hz, Skid Mounted, Tan ECU Assembly, 10-Ton, 60hz, Skid Mounted, Tan
AIR CONDITIONER Product Data Sheet			
GENERATOR Product Data Sheet		**OPTIONAL**	Call for additional generator options
POWER DISTRIBUTION Product Data Sheet	LAMSELEC4LT	**INCLUDED**	Included in **LAMS Electrical Kit** (1-Panel Box)
TRAILER MOUNTED SUPPORT SYSTEM Product Data Sheet			Not available at this time
INSULATED LINER Product Data Sheet	L23052X050INS	**OPTIONAL**	Standard Insulated Liner Kit for L218 - 52'x50' - 16' Eaves
STANDARD LINER Product Data Sheet	L23052X050	**OPTIONAL**	Standard Liner Kit for L218 - 52'x50' - 16' Eaves
INSULATED FLOORING Product Data Sheet		**OPTIONAL**	Call for additional flooring options
22. SNOW LOAD: 8 psf without snow struts	**23. WIND LOAD:** 90-115 mph		**24. RAIN LOAD:** 4" per hour with 40 MPH Winds

Professional Engineer Stamp



PRODUCT DATA SHEET

Part #: C23052X63GG-T

CELINA LARGE AREA MAINTENANCE SHELTER (LAMS) - TAN

CONTRACTOR NAME: Celina Tent, Inc.			
1. PART NUMBER: C23052X63GG-T		**2. NSN**:	
3. NAME: Celina Large Area Maintenance Shelter LAMS/MLAMS, Storage	**4. TYPE:** Frame Structure, Expandable		**5. CLASS**: 03438
6. COLOR: Tan	**7. SUPPORT SYSTEM:** Frame		**8. SERIES:** C23
9. INTENDED USE: Maintenance Shelter: Aviation, Vehicle, Storage			
10. DIMENSIONS (IN FEET AND INCHES):	**LENGTH:** 63′	**WIDTH:** 52′	**HEIGHT: RIDGE:** 25′5″ **EAVE:** 16′
11. DIMENSIONS (EXTERNAL GUYED):	**LENGTH:** 63′	**WIDTH:** 62′	
12. SQUARE FEET INTERIOR: 3,276 sq. ft.			
13. WEIGHT (POUNDS, UNPACKAGED): 13,500 lbs	**14. WEIGHT (PACKAGED):** 16,116 lbs		**15. SHIPPING CUBE (PACKAGED):** 2,400 Cubic Feet
16. SHIPPING CONTAINER: (1) 40′ ISO Container	**LENGTH:** 40′-0″	**WIDTH:** 8′-0″	**HEIGHT:** 8′-6″
17. SET-UP TIME/NUMBER OF PERSONS: Max 8 Persons/192 man hours or less **TIME UNDER CANOPY:**		**18. STRIKE TIME/NUMBER OF PERSONS:** Max 8 Persons/144 man hours or less	

19. PARTS INCLUDED (Include Quantity):
(1) Aluminum Frame with (2) Gable Endwall , (1) Fabric Cover Kit, (2) Personnel Doors (Composite, Single), (1) LAMS Electrical/Lighting Kit (4-LED Lights / 8-outlets / 1-Panel Box), (2) Ventilators (External/Electric), (1) LAMS Installation tool kit, (1) 40′ ISO Shipping Containers

20. DESCRIPTION:
Celina's 52′ x 63′ Large Area Maintenance Shelter (LAMS) is compliant with MIL-PRF-32504 (MLAMS) (AUG-2016). Each end of the shelter has gable end walls with sliding fabric doors. This shelter also includes vehicle and personnel side doors, allowing for easy access. Celina's LAMS are designed for various uses, including maintenance space, general purpose, general storage, training space, and aircraft hangers. This expeditionary shelter design is completely mobile and relocatable, and can be deployed on any ground type. Pre-assembled hardware allows for quick shelter installation. Celina's Large Area Maintenance Shelters are Berry Compliant.

GSA Contract Holder
Contract # GS-07F-5874P

MADE IN THE USA • BERRY AMENDMENT COMPLIANT

PRODUCT DATA SHEET

Part #: C23052X63GG-T

21. ACCESSORY AND SUPPORT EQUIPMENT:			
	PART NUMBER OR NSN:	**INCLUDED OR OPTIONAL:**	**DESCRIPTION:**
LIGHT SET Product Data Sheet	LAMSELEC4LT	**INCLUDED**	Included in **LAMS Electrical Kit** (4-LED Lights/8-Outlets)
ELECTRICAL OUTLET SET Product Data Sheet		**INCLUDED**	
FLOORING Product Data Sheet		**OPTIONAL**	Call for additional flooring options
HEATER Product Data Sheet	34456-50 (50hz) 34456 (60hz)	**OPTIONAL**	ECU Assembly, 10-Ton, 50hz, Skid Mounted, Tan ECU Assembly, 10-Ton, 60hz, Skid Mounted, Tan
AIR CONDITIONER Product Data Sheet			
GENERATOR Product Data Sheet		**OPTIONAL**	Call for additional generator options
POWER DISTRIBUTION Product Data Sheet	LAMSELEC4LT	**INCLUDED**	Included in **LAMS Electrical Kit** (1-Panel Box)
TRAILER MOUNTED SUPPORT SYSTEM Product Data Sheet			Not available at this time
INSULATED LINER Product Data Sheet	L23052X063INS	**OPTIONAL**	Standard Insulated Liner Kit for L218 - 52'x63' - 16' Eaves
STANDARD LINER Product Data Sheet	L23052X063	**OPTIONAL**	Standard Liner Kit for L218 - 52'x63' - 16' Eaves
INSULATED FLOORING Product Data Sheet		**OPTIONAL**	Call for additional flooring options
22. SNOW LOAD: 8 psf without snow struts	**23. WIND LOAD:** 90-115 mph		**24. RAIN LOAD:** 4" per hour with 40 MPH Winds

Professional Engineer Stamp



PRODUCT DATA SHEET

Part #: C23075X122TG-T

CELINA LARGE AREA MAINTENANCE SHELTER (LAMS) - TAN

CONTRACTOR NAME: Celina Tent, Inc.			
1. PART NUMBER: C23075X122TG-T		**2. NSN:**	
3. NAME: Celina Large Area Maintenance Shelter (LAMS)	**4. TYPE:** Frame Structure, Expandable		**5. CLASS:** 08643
6. COLOR: Tan	**7. SUPPORT SYSTEM:** Frame		**8. SERIES:** C23
9. INTENDED USE: Maintenance Shelter: Aviation, Vehicle, Storage			
10. DIMENSIONS (IN FEET AND INCHES):	**LENGTH:** 122′	**WIDTH:** 75′	**HEIGHT: RIDGE:** 31′ **EAVE:** 16′
11. DIMENSIONS (EXTERNAL GUYED):	**LENGTH:** 122′	**WIDTH:** 85′	
12. SQUARE FEET INTERIOR: 8,500 sq. ft.			
13. WEIGHT (POUNDS, UNPACKAGED): 20,000 lbs	**14. WEIGHT (PACKAGED):** 24,650 lbs		**15. SHIPPING CUBE (PACKAGED):** 2,720 Cubic Feet
16. SHIPPING CONTAINER: (2) 20′ ISO Containers	**LENGTH:** 20′-0″	**WIDTH:** 8′-0″	**HEIGHT:** 8′-6″
17. SET-UP TIME/NUMBER OF PERSONS: Max 8 Persons/384 man hours **TIME UNDER CANOPY:**		**18. STRIKE TIME/NUMBER OF PERSONS:** Max 8 Persons/288 man hours or less	

19. PARTS INCLUDED (Include Quantity):
(1) Aluminum Frame with (1) full-width (Tri-Lid) eyelid door, (1) Gable Endwall (1) Fabric Cover Kit, (2) Personnel Doors (Composite, Single), (1) LAMS Electrical/Lighting Kit (8-LED Lights / 16-outlets / 1-Panel Box), 2 Ventilators (External/Electric), (1) LAMS Installation tool kit, (2) 20′ ISO Shipping Containers

20. DESCRIPTION:
Celina's 75′ x 122′ Large Area Maintenance Shelter (LAMS) is compliant with MIL-PRF-32504B (MLAMS) (Aug. 2016). End configurations include a retractable Tri-lid Eyelid Door, allowing for full-width entries when in the open state and protection from environmental elements when in the closed state, and gable end wall with sliding fabric door. This shelter also includes vehicle and personnel side doors, allowing for easy access. Celina's LAMS are designed for various uses, including maintenance space, general purpose, general storage, training space, and aircraft hangers. This expeditionary shelter design is completely mobile and relocatable, and can be deployed on any ground type. Pre-assembled hardware allows for quick shelter installation. Celina's Large Area Maintenance Shelters are Berry Compliant.

GSA **Contract Holder**
Contract # GS-07F-5874P

MADE IN THE USA • BERRY AMENDMENT COMPLIANT

PRODUCT DATA SHEET

Part #: C23075X122TG-T

21. ACCESSORY AND SUPPORT EQUIPMENT:			
	PART NUMBER OR NSN:	**INCLUDED OR OPTIONAL:**	**DESCRIPTION:**
LIGHT SET Product Data Sheet	LAMSELEC8LTW	**INCLUDED**	Included in **LAMS Electrical Kit** (8-LED Lights/16-Outlets)
ELECTRICAL OUTLET SET Product Data Sheet		**INCLUDED**	
FLOORING Product Data Sheet		**OPTIONAL**	Call for additional flooring options
HEATER Product Data Sheet	34456-50 (50hz) 34456 (60hz)	**OPTIONAL**	ECU Assembly, 10-Ton, 50hz, Skid Mounted, Tan ECU Assembly, 10-Ton, 60hz, Skid Mounted, Tan
AIR CONDITIONER Product Data Sheet			
GENERATOR Product Data Sheet		**OPTIONAL**	Call for additional generator options
POWER DISTRIBUTION Product Data Sheet	LAMSELEC8LTW	**INCLUDED**	Included in **LAMS Electrical Kit** (1-Panel Box)
TRAILER MOUNTED SUPPORT SYSTEM Product Data Sheet			Not available at this time
INSULATED LINER Product Data Sheet	L23075X122INS	**OPTIONAL**	Standard Insulated Liner Kit for L218 - 75'x122' - 16' Eaves
STANDARD LINER Product Data Sheet	L23075X122	**OPTIONAL**	Standard Liner Kit for L218 - 75'x122' - 16' Eaves
INSULATED FLOORING Product Data Sheet		**OPTIONAL**	Call for additional flooring options
22. SNOW LOAD: 8 psf without snow struts	**23. WIND LOAD:** 90-115 mph		**24. RAIN LOAD:** 4" per hour with 40 MPH Winds

Professional Engineer Stamp



PRODUCT DATA SHEET

Part #: C23075X132TT-T

CELINA LARGE AREA MAINTENANCE SHELTER (LAMS) - TAN

CONTRACTOR NAME: Celina Tent, Inc.			
1. PART NUMBER: C23075X132TT-T		**2. NSN**:	
3. NAME: Celina Large Area Maintenance Shelter LAMS/MLAMS, Vehicle Maintenance	**4. TYPE:** Frame Structure, Expandable		**5. CLASS**: 08717
6. COLOR: Tan	**7. SUPPORT SYSTEM:** Frame		**8. SERIES:** C23
9. INTENDED USE: Maintenance Shelter: Aviation, Vehicle, Storage			
10. DIMENSIONS (IN FEET AND INCHES):	**LENGTH:** 132′	**WIDTH:** 75′	**HEIGHT: RIDGE:** 31′ **EAVE:** 16′
11. DIMENSIONS (EXTERNAL GUYED):	**LENGTH:** 132′	**WIDTH:** 85′	
12. SQUARE FEET INTERIOR: 8,450 sq. ft.			
13. WEIGHT (POUNDS, UNPACKAGED): 21,000 lbs	**14. WEIGHT (PACKAGED):** 25,650 lbs		**15. SHIPPING CUBE (PACKAGED):** 2,720 Cubic Feet
16. SHIPPING CONTAINER: (2) 20′ ISO Containers	**LENGTH:** 20′-0″	**WIDTH:** 8′-0″	**HEIGHT:** 8′-6″
17. SET-UP TIME/NUMBER OF PERSONS: Max 8 Persons/384 man hours or less **TIME UNDER CANOPY:**		**18. STRIKE TIME/NUMBER OF PERSONS:** Max 8 Persons/288 man hours or less	

19. PARTS INCLUDED (Include Quantity):
(1) Aluminum Frame with (2) full-width (Tri-Lid) eyelid doors, (1) Fabric Cover Kit, (2) Personnel Doors (Composite, Single), (1) LAMS Electrical/ Lighting Kit (8-LED Lights / 16-outlets / 1-Panel Box), 2 Ventilators (External/Electric), (1) LAMS Installation tool kit, (2) 20′ ISO Shipping Containers

20. DESCRIPTION:
Celina's 75′ x 132′ Large Area Maintenance Shelter (LAMS), Type V, is compliant with MIL-PRF-32504B (MLAMS) (AUG-2016). Each end of the shelter has retractable Tri-lid Eyelid Doors, allowing for full-width entries when in the open state and protection from environmental elements when in the closed state. This shelter also includes vehicle and personnel side doors, allowing for easy access. Celina's LAMS are designed for various uses, including maintenance space, general purpose, general storage, training space, and aircraft hangers. This expeditionary shelter design is completely mobile and relocatable, and can be deployed on any ground type. Pre-assembled hardware allows for quick shelter installation. Celina's Large Area Maintenance Shelters are Berry Compliant.

GSA **Contract Holder**
Contract # GS-07F-5874P

MADE IN THE USA • BERRY AMENDMENT COMPLIANT

PRODUCT DATA SHEET

Part #: C23075X132TT-T

21. ACCESSORY AND SUPPORT EQUIPMENT:			
	PART NUMBER OR NSN:	**INCLUDED OR OPTIONAL:**	**DESCRIPTION:**
LIGHT SET Product Data Sheet	LAMSELEC8LTWW	**INCLUDED**	Included in **LAMS Electrical Kit** (8-LED Lights/16-Outlets)
ELECTRICAL OUTLET SET Product Data Sheet		**INCLUDED**	
FLOORING Product Data Sheet		**OPTIONAL**	Call for additional flooring options
HEATER Product Data Sheet	34456-50 (50hz) 34456 (60hz)	**OPTIONAL**	ECU Assembly, 10-Ton, 50hz, Skid Mounted, Tan ECU Assembly, 10-Ton, 60hz, Skid Mounted, Tan
AIR CONDITIONER Product Data Sheet			
GENERATOR Product Data Sheet		**OPTIONAL**	Call for additional generator options
POWER DISTRIBUTION Product Data Sheet	LAMSELEC8LTWW	**INCLUDED**	Included in **LAMS Electrical Kit** (1-Panel Box)
TRAILER MOUNTED SUPPORT SYSTEM Product Data Sheet			Not available at this time
INSULATED LINER Product Data Sheet	L23075X132INS	**OPTIONAL**	Standard Insulated Liner Kit for L218 - 75'x132' - 16' Eaves
STANDARD LINER Product Data Sheet	L23075X132	**OPTIONAL**	Standard Liner Kit for L218 - 75'x132' - 16' Eaves
INSULATED FLOORING Product Data Sheet		**OPTIONAL**	Call for additional flooring options
22. SNOW LOAD: 8 psf without snow struts	**23. WIND LOAD:** 90-115 mph		**24. RAIN LOAD:** 4" per hour with 40 MPH Winds

Professional Engineer Stamp



PRODUCT DATA SHEET

Part #: C23075X195TT-T

CELINA LARGE AREA MAINTENANCE SHELTER (LAMS) - TAN

CONTRACTOR NAME: Celina Tent, Inc.			
1. PART NUMBER: C23075X195TT-T		**2. NSN**:	
3. NAME: Celina Large Area Maintenance Shelter LAMS/MLAMS, Aviation	**4. TYPE:** Frame Structure, Expandable		**5. CLASS**: 13446
6. COLOR: Tan	**7. SUPPORT SYSTEM:** Frame		**8. SERIES:** C23
9. INTENDED USE: Maintenance Shelter: Aviation, Vehicle, Storage			
10. DIMENSIONS (IN FEET AND INCHES):	**LENGTH:** 195′	**WIDTH:** 75′	**HEIGHT: RIDGE:** 31′ **EAVE:** 16′
11. DIMENSIONS (EXTERNAL GUYED):	**LENGTH:** 195′	**WIDTH:** 85′	
12. SQUARE FEET INTERIOR: 14,400 sq. ft.			
13. WEIGHT (POUNDS, UNPACKAGED): 28,000 lbs	**14. WEIGHT (PACKAGED):** 42,560 lbs		**15. SHIPPING CUBE (PACKAGED):** 4,780 Cubic Feet
16. SHIPPING CONTAINER: (2) 40′ ISO Containers	**LENGTH:** 40′-0″	**WIDTH:** 8′-0″	**HEIGHT:** 8′-6″
17. SET-UP TIME/NUMBER OF PERSONS: Max 8 Persons/576 man hours or less **TIME UNDER CANOPY:**		**18. STRIKE TIME/NUMBER OF PERSONS:** Max 8 Persons/432 man hours or less	

19. PARTS INCLUDED (Include Quantity):
(1) Aluminum Frame with (2) full-width (Tri-Lid) eyelid doors, (1) Fabric Cover Kit, (2) Personnel Doors (Composite, Single), (1) LAMS Electrical/Lighting Kit (8-LED Lights / 16-outlets / 1-Panel Box), 2 Ventilators (External/Electric), (1) LAMS Installation tool kit, (2) 40′ ISO Shipping Containers

20. DESCRIPTION:
Celina's 75′ x 195′ Large Area Maintenance Shelter (LAMS), Type A, is compliant with MIL-PRF-32504 (MLAMS) (30-SEP-2014). Each end of the shelter has retractable Tri-lid Eyelid Doors, allowing for full-width entries when in the open state and protection from environmental elements when in the closed state. This shelter also includes vehicle and personnel side doors, allowing for easy access. Celina's LAMS are designed for various uses, including maintenance space, general purpose, general storage, training space, and aircraft hangers. This expeditionary shelter design is completely mobile and relocatable, and can be deployed on any ground type. Pre-assembled hardware allows for quick shelter installation. Celina's Large Area Maintenance Shelters are Berry Compliant.

GSA Contract Holder
Contract # GS-07F-5874P

MADE IN THE USA • BERRY AMENDMENT COMPLIANT

PRODUCT DATA SHEET

Part #: C23075X195TT-T

21. ACCESSORY AND SUPPORT EQUIPMENT:			
	PART NUMBER OR NSN:	**INCLUDED OR OPTIONAL:**	**DESCRIPTION:**
LIGHT SET Product Data Sheet	LAMSELEC8LTWW	**INCLUDED**	Included in **LAMS Electrical Kit** (8-LED Lights/16-Outlets)
ELECTRICAL OUTLET SET Product Data Sheet		**INCLUDED**	
FLOORING Product Data Sheet		**OPTIONAL**	Call for additional flooring options
HEATER Product Data Sheet	34456-50 (50hz) 34456 (60hz)	**OPTIONAL**	ECU Assembly, 10-Ton, 50hz, Skid Mounted, Tan ECU Assembly, 10-Ton, 60hz, Skid Mounted, Tan
AIR CONDITIONER Product Data Sheet			
GENERATOR Product Data Sheet		**OPTIONAL**	Call for additional generator options
POWER DISTRIBUTION Product Data Sheet	LAMSELEC8LTWW	**INCLUDED**	Included in **LAMS Electrical Kit** (1-Panel Box)
TRAILER MOUNTED SUPPORT SYSTEM Product Data Sheet			Not available at this time
INSULATED LINER Product Data Sheet	L23075X195INS	**OPTIONAL**	Standard Insulated Liner Kit for L218 - 75'x195' - 16' Eaves
STANDARD LINER Product Data Sheet	L23075X195	**OPTIONAL**	Standard Liner Kit for L218 - 75'x195' - 16' Eaves
INSULATED FLOORING Product Data Sheet		**OPTIONAL**	Call for additional flooring options
22. SNOW LOAD: 8 psf without snow struts	**23. WIND LOAD:** 90-115 mph		**24. RAIN LOAD:** 4" per hour with 40 MPH Winds

Professional Engineer Stamp



PRODUCT DATA SHEET

Part #: C23083X142TG-T

CELINA LARGE AREA MAINTENANCE SHELTER (LAMS) - TAN

CONTRACTOR NAME: Celina Tent, Inc.			
1. PART NUMBER: C23083X142TG-T		**2. NSN**:	
3. NAME: Celina UAV Shelter	**4. TYPE:** Frame Structure, Expandable		**5. CLASS**: 11166
6. COLOR: Tan	**7. SUPPORT SYSTEM:** Frame		**8. SERIES:** C23
9. INTENDED USE: Maintenance Shelter: Aviation, Vehicle, Storage			
10. DIMENSIONS (IN FEET AND INCHES):	**LENGTH:** 142′	**WIDTH:** 83′	**HEIGHT: RIDGE:** 27′9″ **EAVE:** 10′
11. DIMENSIONS (EXTERNAL GUYED):	**LENGTH:** 142′	**WIDTH:** 93′	
12. SQUARE FEET INTERIOR: 11,010 sq. ft.			
13. WEIGHT (POUNDS, UNPACKAGED): 25,000 lbs	**14. WEIGHT (PACKAGED):** 37,430 lbs	**15. SHIPPING CUBE (PACKAGED):** 3,870 Cubic Feet	
16. SHIPPING CONTAINER: (1) 20′ and (1) 40′ ISO Container	**LENGTH:** 40′-0″/20′-0″	**WIDTH:** 8′-0″	**HEIGHT:** 8′-6″
17. SET-UP TIME/NUMBER OF PERSONS: Max 8 Persons/576 man hours or less **TIME UNDER CANOPY:**	**18. STRIKE TIME/NUMBER OF PERSONS:** Max 8 Persons/432 man hours or less		

19. PARTS INCLUDED (Include Quantity):
(1) Aluminum Frame with (1) full-width (Tri-Lid) eyelid door, (1) Gable Endwall (1) Fabric Cover Kit, (2) Personnel Doors (Composite, Single), (1) LAMS Electrical/Lighting Kit (8-LED Lights / 16-outlets / 1-Panel Box), 2 Ventilators (External/Electric), (1) LAMS Installation tool kit, (1) 40′ ISO Shipping Container, (1) 20′ ISO Shipping Container

20. DESCRIPTION:
Celina's 83′ x 142′ Large Area Maintenance Shelter (LAMS), Type UAV/Drone, includes a retractable Tri-lid Eyelid Door, allowing for full-width entries when in the open state and protection from environmental elements when in the closed state, and gable end wall with sliding fabric door. This shelter also includes vehicle and personnel side doors, allowing for easy access. Celina's LAMS are designed for various uses, including maintenance space, general purpose, general storage, training space, and aircraft hangers. This expeditionary shelter design is completely mobile and relocatable, and can be deployed on any ground type. Pre-assembled hardware allows for quick shelter installation. Celina's Large Area Maintenance Shelters are Berry Compliant.

GSA Contract Holder
Contract # GS-07F-5874P

MADE IN THE USA • BERRY AMENDMENT COMPLIANT

PRODUCT DATA SHEET

Part #: C23083X142TG-T

21. ACCESSORY AND SUPPORT EQUIPMENT:			
	PART NUMBER OR NSN:	**INCLUDED OR OPTIONAL:**	**DESCRIPTION:**
LIGHT SET Product Data Sheet	LAMSELEC4LTW	**INCLUDED**	Included in **LAMS Electrical Kit** (4-LED Lights/8-Outlets)
ELECTRICAL OUTLET SET Product Data Sheet		**INCLUDED**	
FLOORING Product Data Sheet		**OPTIONAL**	Call for additional flooring options
HEATER Product Data Sheet	34456-50 (50hz) 34456 (60hz)	**OPTIONAL**	ECU Assembly, 10-Ton, 50hz, Skid Mounted, Tan ECU Assembly, 10-Ton, 60hz, Skid Mounted, Tan
AIR CONDITIONER Product Data Sheet			
GENERATOR Product Data Sheet		**OPTIONAL**	Call for additional generator options
POWER DISTRIBUTION Product Data Sheet	LAMSELEC4LTW	**INCLUDED**	Included in **LAMS Electrical Kit** (1-Panel Box)
TRAILER MOUNTED SUPPORT SYSTEM Product Data Sheet			Not available at this time
INSULATED LINER Product Data Sheet	L23083X142INS	**OPTIONAL**	Standard Insulated Liner Kit for L218 - 83'x142' - 10' Eaves
STANDARD LINER Product Data Sheet	L23083X142	**OPTIONAL**	Standard Liner Kit for L218 - 83'x142' - 10' Eaves
INSULATED FLOORING Product Data Sheet		**OPTIONAL**	Call for additional flooring options
22. SNOW LOAD: 15 psf with snow load cables	**23. WIND LOAD:** 90-115 mph		**24. RAIN LOAD:** 4" per hour with 40 MPH Winds

Professional Engineer Stamp



PRODUCT DATA SHEET

Part #: C23083X164TT-T

CELINA LARGE AREA MAINTENANCE SHELTER (LAMS) - TAN

CONTRACTOR NAME: Celina Tent, Inc.			
1. PART NUMBER: C23083X164TT-T		**2. NSN**:	
3. NAME: Celina UAV Shelter	**4. TYPE:**		**5. CLASS**: 12165
6. COLOR: Tan	**7. SUPPORT SYSTEM:** Frame		**8. SERIES:** C23
9. INTENDED USE: Maintenance Shelter: Aviation, Vehicle, Storage			
10. DIMENSIONS (IN FEET AND INCHES):	**LENGTH:** 164′	**WIDTH:** 83′	**HEIGHT: RIDGE:** 27′9″ **EAVE:**10′
11. DIMENSIONS (EXTERNAL GUYED):	**LENGTH:** 164′	**WIDTH:** 93′	
12. SQUARE FEET INTERIOR: 12,055 sq. ft.			
13. WEIGHT (POUNDS, UNPACKAGED): 26,000 lbs	**14. WEIGHT (PACKAGED):** 38,430 lbs	**15. SHIPPING CUBE (PACKAGED):** 3,870 Cubic Feet	
16. SHIPPING CONTAINER: (1) 20′ and (1) 40′ ISO Container	**LENGTH:** 40′-0″/20′-0″	**WIDTH:** 8′-0″	**HEIGHT:** 8′-6″
17. SET-UP TIME/NUMBER OF PERSONS: Max 8 Persons/576 man hours or less **TIME UNDER CANOPY:**		**18. STRIKE TIME/NUMBER OF PERSONS:** Max 8 Persons/432 man hours or less	

19. PARTS INCLUDED (Include Quantity):
(1) Aluminum Frame with (2) full-width (Tri-Lid) eyelid doors (1) Fabric Cover Kit, (2) Personnel Doors (Composite, Single), (1) LAMS Electrical/ Lighting Kit (8-LED Lights / 16-outlets / 1-Panel Box), 2 Ventilators (External/Electric), (1) LAMS Installation tool kit, (1) 40′ ISO Shipping Container, (1) 20′ ISO Shipping Container

20. DESCRIPTION:
Celina's 83′ x 164′ Large Area Maintenance Shelter (LAMS), Type UAV/Drone, includes two retractable Tri-lid Eyelid Doors, allowing for full-width entries when in the open state and protection from environmental elements when in the closed state. This shelter also includes vehicle and personnel side doors, allowing for easy access. Celina's LAMS are designed for various uses, including maintenance space, general purpose, general storage, training space, and aircraft hangers. This expeditionary shelter design is completely mobile and relocatable, and can be deployed on any ground type. Pre-assembled hardware allows for quick shelter installation. Celina's Large Area Maintenance Shelters are Berry Compliant.

GSA Contract Holder
Contract # GS-07F-5874P

MADE IN THE USA • BERRY AMENDMENT COMPLIANT

PRODUCT DATA SHEET

Part #: C23083X164TT-T

21. ACCESSORY AND SUPPORT EQUIPMENT:			
	PART NUMBER OR NSN:	**INCLUDED OR OPTIONAL:**	**DESCRIPTION:**
LIGHT SET Product Data Sheet	LAMSELEC4LTWW	**INCLUDED**	Included in **LAMS Electrical Kit** (4-LED Lights/8-Outlets)
ELECTRICAL OUTLET SET Product Data Sheet		**INCLUDED**	
FLOORING Product Data Sheet		**OPTIONAL**	Call for additional flooring options
HEATER Product Data Sheet	34456-50 (50hz) 34456 (60hz)	**OPTIONAL**	ECU Assembly, 10-Ton, 50hz, Skid Mounted, Tan ECU Assembly, 10-Ton, 60hz, Skid Mounted, Tan
AIR CONDITIONER Product Data Sheet			
GENERATOR Product Data Sheet		**OPTIONAL**	Call for additional generator options
POWER DISTRIBUTION Product Data Sheet	LAMSELEC4LTWW	**INCLUDED**	Included in **LAMS Electrical Kit** (1-Panel Box)
TRAILER MOUNTED SUPPORT SYSTEM Product Data Sheet			Not available at this time
INSULATED LINER Product Data Sheet	L23083X164INS	**OPTIONAL**	Standard Insulated Liner Kit for L218 - 83'x164' - 10' Eaves
STANDARD LINER Product Data Sheet	L23083X164	**OPTIONAL**	Standard Liner Kit for L218 - 83'x164' - 10' Eaves
INSULATED FLOORING Product Data Sheet		**OPTIONAL**	Call for additional flooring options
22. SNOW LOAD: 15 psf with snow load cables	**23. WIND LOAD:** 90-115 mph		**24. RAIN LOAD:** 4" per hour with 40 MPH Winds

Professional Engineer Stamp



C30 SERIES OVERVIEW
Celina Dome Shelter

4K Dome NSN: 5410-01-455-2004
8K Dome NSN: 5410-01-494-5130

CELINA

Description

Celina's 4K and 8K Dome Shelter are a modular shelter system built and designed to be completely relocatable. The rugged design adapts to changing climates and is constructed of an aluminum frame system. Celina's Dome shelter is available in standard configurations that supports a Tri-Lid Door or "Big Mouth Door" to house various maintenance functions.

Features

- Aluminum frame support system
- Desert tan or camouflage green color options
- 100% on-ground installation capable
- Minimal tool requirements
- Packs out in Bicon/ISU90 Containers
- Electrical system with ventilation
- Modular design
- Versatile set-up on sand, concrete/asphalt, gravel/hard-pack

Intended Uses

- General purpose
- Billeting
- Storage
- Maintenance
- Aircraft
- Vehicle
- Morale

Specifications

- Resists wind speeds up to105 mph
- Withstands 20 psf of snow
- Rain load of 4" per hour with 40 mph winds
- Temperature limits -25 to 140 °F
- Water resistant, flame retardant fabric (MIL-PRF vinyl laminate)
- 4K Dome NSN: 5410-01-455-2004
- 8K Dome NSN: 5410-01-494-5130

Optional Add-Ons

- ISU90 Containers options for air transportation
- Additional bays
- Flooring
- ECU's

Made in USA

BERRY Amendment

GSA Contract Holder
Contract # GS-07F-5874P

C30 SERIES OVERVIEW
Celina Dome Shelter

4K Dome NSN: 5410-01-455-2004
8K Dome NSN: 5410-01-494-5130

CELINA

Electrical Panel

Ventilators (External/Electric Roof Ventilator)



Lighting Hubs

Tri-lid Door (Full-Width Aircraft Door)

Gable End with Fabric Vehicle Door and Personnel door

Dome Pack Out

PRODUCT DATA SHEET

Part #: C-9434477-20-T • NSN: 5410-01-494-5130

CELINA 8K SHELTER DOME - TAN

CONTRACTOR NAME: Celina Tent, Inc.			
1. PART NUMBER: C-9434477-20		**2. NSN**: 5410-01-494-5130	
3. NAME: Celina Dome Shelter, 8K Double Gable End	**4. TYPE:** Frame Structure, Expandable		**5. CLASS**: 08231
6. COLOR: Tan	**7. SUPPORT SYSTEM:** Frame		**8. SERIES:** C30
9. INTENDED USE: Warehouses/Storage, Aircraft Hangars, Maintenance			
10. DIMENSIONS (IN FEET AND INCHES):	**LENGTH:** 116'3"	**WIDTH:** 69'5"	**HEIGHT: RIDGE:** 25' **EAVE:** 11'
11. DIMENSIONS (EXTERNAL GUYED):	**LENGTH:**	**WIDTH:**	
12. SQUARE FEET INTERIOR: 8,000 sq. ft.			
13. WEIGHT (POUNDS, UNPACKAGED): 20,450 lbs	**14. WEIGHT (PACKAGED):** 30,500 lbs	**15. SHIPPING CUBE (PACKAGED):** 1,460 Cubic Feet	
16. SHIPPING CONTAINER: (2) 10' Bicon ISO Containers and (1) 6' 5.5" Tricon ISO Container	**LENGTH:** 10'-0"/ 6'-5.5"	**WIDTH:** 8'-0"	**HEIGHT:** 8'-6"
17. SET-UP TIME/NUMBER OF PERSONS: Max 8 Persons/256 man hours or less **TIME UNDER CANOPY:**		**18. STRIKE TIME/NUMBER OF PERSONS:** Max 8 Persons/208 man hours or less	

19. PARTS INCLUDED (Include Quantity):
(1) Aluminum Frame, (2) Gable Ends, (1) Fabric Cover Kit, (2) Personnel Doors, (2) Fabric Vehicle Door, (2) Electrical Panel Kit, (4) Lighting Hubs, (8) Ventilators (External/Electric Roof Ventilator per Main Panel), (1) Installation tool kit, (3) 10' ISO Bicon Shipping Containers or Tricon Containers

20. DESCRIPTION:
Celina's 8K DOME shelter also includes two Gable End with vehicle and personnel side doors, allowing for easy access. Celina's DOME is designed for various uses, including maintenance space, general purpose, general storage, training space, and aircraft hangers. This expeditionary shelter design is completely mobile and relocatable, and can be deployed on any ground type. Pre-assembled hardware allows for quick shelter installation without the use of lifts and ladders. Celina's 8K DOME Shelters are Berry Compliant.

GSA **Contract Holder**
Contract # GS-07F-5874P

MADE IN THE USA • BERRY AMENDMENT COMPLIANT

PRODUCT DATA SHEET

Part #: C-9434477-20-T • NSN: 5410-01-494-5130

21. ACCESSORY AND SUPPORT EQUIPMENT:			
	PART NUMBER OR NSN:	**INCLUDED OR OPTIONAL:**	**DESCRIPTION:**
LIGHT SET Product Data Sheet		**INCLUDED**	See separate product data sheets for various Lighting options.
ELECTRICAL OUTLET SET Product Data Sheet		**INCLUDED**	See separate product data sheets for various Electrical options.
FLOORING Product Data Sheet		**OPTIONAL**	Call for additional flooring options
HEATER Product Data Sheet	34456-50 (50hz) 34456 (60hz)	**OPTIONAL**	ECU Assembly, 10-Ton, 50hz, Skid Mounted, Tan ECU Assembly, 10-Ton, 60hz, Skid Mounted, Tan
AIR CONDITIONER Product Data Sheet			
GENERATOR Product Data Sheet		**OPTIONAL**	Call for additional generator options
POWER DISTRIBUTION Product Data Sheet	200412841	**INCLUDED**	(2) DOME - Electrical Distribution Panel
TRAILER MOUNTED SUPPORT SYSTEM Product Data Sheet			Not available at this time
INSULATED LINER Product Data Sheet			Not available at this time
INSULATED FLOORING Product Data Sheet		**OPTIONAL**	Call for additional flooring options
22. SNOW LOAD: 20 psf	**23. WIND LOAD:** 105 mph		**24. RAIN LOAD:** 4" per hour with 40 mph Winds

Professional Engineer Stamp



PRODUCT DATA SHEET

Part #: C-9434477-30-T • NSN: 5410-01-455-2004

CELINA 4K SHELTER DOME - TAN

CONTRACTOR NAME: Celina Tent, Inc.			
1. PART NUMBER: C-9434477-30-T		**2. NSN**: 5410-01-455-2004	
3. NAME: Celina Dome Shelter, 4K Single Gable End	**4. TYPE:** Frame Structure, Expandable		**5. CLASS**: 05697
6. COLOR: Tan	**7. SUPPORT SYSTEM:** Frame		**8. SERIES:** C30
9. INTENDED USE: Warehouses/Storage, Aircraft Hangars, Maintenance			
10. DIMENSIONS (IN FEET AND INCHES):	**LENGTH:** 89′3″	**WIDTH:** 69′5″	**HEIGHT: RIDGE:** 25′ **EAVE:** 11′
11. DIMENSIONS (EXTERNAL GUYED):	**LENGTH:**	**WIDTH:**	
12. SQUARE FEET INTERIOR: 5,300 sq. ft.			
13. WEIGHT (POUNDS, UNPACKAGED): 21,180 lbs	**14. WEIGHT (PACKAGED):** 27,920 lbs		**15. SHIPPING CUBE (PACKAGED):** 1,014 Cubic Feet
16. SHIPPING CONTAINER: (2) 10′ ISO Containers	**LENGTH:** 10′-0″	**WIDTH:** 8′-0″	**HEIGHT:** 8′-6″
17. SET-UP TIME/NUMBER OF PERSONS: Max 6 Persons/144 man hours or less **TIME UNDER CANOPY:**		**18. STRIKE TIME/NUMBER OF PERSONS:** Max 6 Persons/120man hours or less	

19. PARTS INCLUDED (Include Quantity):
(1) Aluminum Frame, (1) Full-width (Tri-Lid) eyelid door with Winch, (1) Gable End, (1) Fabric Cover Kit, (2) Personnel Doors, (1) Fabric Vehicle Door, (1) Electrical Panel Kit, (2) Lighting Hubs, (4) Ventilators (External/Electric Roof Ventilator per Main Panel), (1) Installation tool kit, (2) 10′ ISO Bicon Shipping Containers

20. DESCRIPTION:
Celina's 4K DOME shelter includes a retractable Tri-lid Eyelid Door, allowing for full-width entries when in the open state and protection from environmental elements when in the closed state. This shelter also includes a Gable End with vehicle and personnel side doors, allowing for easy access. Celina's DOME is designed for various uses, including maintenance space, general purpose, general storage, training space, and aircraft hangers. This expeditionary shelter design is completely mobile and relocatable, and can be deployed on any ground type. Pre-assembled hardware allows for quick shelter installation without the use of lifts and ladders. Celina's 4K DOME Shelters are Berry Compliant.

GSA Contract Holder
Contract # GS-07F-5874P

MADE IN THE USA • BERRY AMENDMENT COMPLIANT

PRODUCT DATA SHEET

Part #: C-9434477-30-T • NSN: 5410-01-455-2004

21. ACCESSORY AND SUPPORT EQUIPMENT:			
	PART NUMBER OR NSN:	**INCLUDED OR OPTIONAL:**	**DESCRIPTION:**
LIGHT SET Product Data Sheet		**INCLUDED**	See separate product data sheets for various Lighting options.
ELECTRICAL OUTLET SET Product Data Sheet		**INCLUDED**	See separate product data sheets for various Electrical options.
FLOORING Product Data Sheet		**OPTIONAL**	Call for additional flooring options
HEATER Product Data Sheet	34456-50 (50hz) 34456 (60hz)	**OPTIONAL**	ECU Assembly, 10-Ton, 50hz, Skid Mounted, Tan ECU Assembly, 10-Ton, 60hz, Skid Mounted, Tan
AIR CONDITIONER Product Data Sheet			
GENERATOR Product Data Sheet		**OPTIONAL**	Call for additional generator options
POWER DISTRIBUTION Product Data Sheet	200412841	**INCLUDED**	(1) DOME - Electrical Distribution Panel
TRAILER MOUNTED SUPPORT SYSTEM Product Data Sheet			Not available at this time
INSULATED LINER Product Data Sheet			Not available at this time
INSULATED FLOORING Product Data Sheet		**OPTIONAL**	Call for additional flooring options
22. SNOW LOAD: 20 psf	**23. WIND LOAD:** 105 mph		**24. RAIN LOAD:** 4" per hour with 40 mph Winds

Professional Engineer Stamp



C14 SERIES OVERVIEW
Humanitarian General Purpose Shelter (HGPTS)

NSN: 8340-01-535-6379

CELINA

Description

Celina's 16' x 16' HGPTS is a non-tactical shelter designed to offer an economical solution for humanitarian aid in the event of a natural disaster or conflict worldwide. This shelter is capable of withstanding a steady wind speed of 55 mph with gusts up to 65 mph, 10 psf snow load, and 4" per hour rain load. The shelter is water, ultraviolet, fungus, mildew, and flame resistant. The is a 100% Berry Amendment compliant shelter with a one year commercial warranty.

Features

- General purpose shelter
- Desert tan, camouflage green, or white fabric color options
- Galvanized steel support system
- Tube and fastener construction for easy assembly
- Packed out for maximum optimization
- Set-up/strike time: 4 people/30 minutes

Intended Uses

- General purpose
- Disaster
- Billeting
- Storage
- Command post
- Medical

Specifications

- Resists wind speeds up to 55 mph with gusts up to 65 mph
- Withstands 10 psf of snow load
- Rain load of 4" per hour
- Water resistant, flame retardant fabric (MIL-PRF vinyl laminate)
- NSN: 8340-01-535-6379 (Desert Tan)



FEDMALL

Contract Holder
Contract # SPE1C1-21-D-1402

Made in USA

BERRY Amendment

GSA Contract Holder
Contract # GS-07F-5874P

C14 SERIES OVERVIEW
Humanitarian General Purpose Shelter (HGPTS)

NSN: 8340-01-535-6379

CELINA

Framework:

The HGPTS is created to be a multi-use, completely enclosed structure. Through internal framework secured by cross bracing, each shelter can be quickly assembled by a team of 4 in as little as 30 minutes. All tension straps are adjustable from within the shelter and don't require additional tools for adjustment. This frame system uses 10 gauge, 1.660"(1 1/4" NPS) diameter fittings and 16 gauge, 1.875" diameter steel tubing, providing the frame's strength and, through the standard sizing, allows for easy replacement. For installation sites where consistent terrain is scarce, base plates can be adjusted to level the shelter.

Fabric:

HGPTS doors meet the minimum opening requirements of the DOD (4.5'W x 6.25'H), accommodating individuals wearing backpacks. Doors are not temper vestibule compatible. Shelters can be created in desert tan, camouflage green or white fabric, crafted using heat welding to ensure that each seam and seal is waterproof. Once the fabric top/sides piece is installed, the vinyl laminate floor attaches to the shelter's interior and completely encloses the space. Shelter walls are equipped with mesh windows for increased air flow in addition to a peak vent which can be opened and closed from ground level. Additional in-field repair kits to mend shelter fabric are also available.

Classroom Shelter - Iraq

Typhoon Response - Rota Island

Typhoon Response - Rota Island

Typhoon Response - Yutu

COVID-19 Response - USA

HGPTS with Camouflage Green Fabric

PRODUCT DATA SHEET

Part #: C14Y016X016-T • NSN: 8340-01-535-6379

HUMANITARIAN GENERAL PURPOSE SHELTER (HGPTS), DESERT TAN

CONTRACTOR NAME: Celina Tent, Inc.			
1. PART NUMBER: C14Y016X016-T	**2. NSN:** 8340-01-535-6379		
3. NAME: Humanitarian General Purpose Tent System (HGPTS)	**4. TYPE:** Frame Structure, Air-Transportable	**5. CLASS:** 00259	
6. COLOR: Tan	**7. SUPPORT SYSTEM:** Frame	**8. SERIES:** C14	
9. INTENDED USE: General Purpose, Disaster, Billeting, Storage, Command Post			
10. DIMENSIONS (IN FEET AND INCHES):	**LENGTH:** 16′0″	**WIDTH:** 16′0″	**HEIGHT: RIDGE:** 11′ Peak **EAVE:** 7′
11. DIMENSIONS (EXTERNAL GUYED):	**LENGTH:** 16′0″	**WIDTH:** 16′0″	
12. SQUARE FEET INTERIOR: 256 Square Feet			
13. WEIGHT (POUNDS, UNPACKAGED): 570 lbs	**14. WEIGHT (PACKAGED):** 630 lbs	**15. SHIPPING CUBE (PACKAGED):** 26.2 Cubic Feet	
16. SHIPPING CONTAINER:	**LENGTH:** 102″	**WIDTH:** 24″	**HEIGHT:** 18.5″
17. SET-UP TIME/NUMBER OF PERSONS: 4 People/30 Minutes	**18. STRIKE TIME/NUMBER OF PERSONS:** 4 People/30 Minutes		

19. PARTS INCLUDED (Include Quantity):
(1) Galvanized Metal Frame, (1) 15 oz vinyl Cover, (3) 15 oz vinyl side panels with mosquito net windows, (1) 15 oz vinyl side panel with mosquito net windows and fabric door, (1) boot connection vestibule, (8) 5/8″x24″ hook stakes, (14) X-Bracing straps, (16) pin & bail, (1) storage bag, (1) resin rotomolded crate with steel exoskeleton, (1) spare/repair kit, (1) instruction manual

20. DESCRIPTION:
Celina's 16′ x 16′ HGPTS is a non-tactical shelter designed to offer an economical solution for humanitarian aid in the event of a natural disaster or conflict worldwide. This shelter is capable of withstanding a steady wind speed of 55 mph with gusts up to 65 mph, 10 psf snow load and 4″ per hour rain load. The shelter is water, ultraviolet, fungus, mildew, and flame resistant. The shelter is 100% Berry Amendment compliant. 1-Year commercial warranty.

GSA Contract Holder
Contract # GS-07F-5874P

MADE IN THE USA • BERRY AMENDMENT COMPLIANT

PRODUCT DATA SHEET

Part #: C14Y016X016-T • NSN: 8340-01-535-6379

21. ACCESSORY AND SUPPORT EQUIPMENT:			
	PART NUMBER OR NSN:	**INCLUDED OR OPTIONAL:**	**DESCRIPTION:**
LIGHT SET Product Data Sheet			Call for additional lighting options
ELECTRICAL OUTLET SET Product Data Sheet			Call for additional electrical options
FLOORING Product Data Sheet			Call for additional flooring options
HEATER Product Data Sheet			Call for additional heating options
AIR CONDITIONER Product Data Sheet			Call for additional air conditioning options
GENERATOR Product Data Sheet			Call for additional generator options
POWER DISTRIBUTION Product Data Sheet			Call for additional power distribution options
TRAILER MOUNTED SUPPORT SYSTEM Product Data Sheet			Not available at this time
INSULATED LINER Product Data Sheet			Not available at this time
INSULATED FLOORING Product Data Sheet			Not available at this time
22. SNOW LOAD: 10 psf	**23. WIND LOAD:** 55 mph		**24. RAIN LOAD:** 4" per hour

PRODUCT DATA SHEET

Part #: C14Y016X016-G

HUMANITARIAN GENERAL PURPOSE SHELTER (HGPTS), GREEN

CONTRACTOR NAME: Celina Tent, Inc.			
1. PART NUMBER: C14Y016X016-G		**2. NSN:**	
3. NAME: Humanitarian General Purpose Tent System (HGPTS)	**4. TYPE:** Frame Structure, Air-Transportable		**5. CLASS:** 00259
6. COLOR: Green	**7. SUPPORT SYSTEM:** Frame		**8. SERIES:** C14
9. INTENDED USE: General Purpose, Disaster, Billeting, Storage, Command Post			
10. DIMENSIONS (IN FEET AND INCHES):	**LENGTH:** 16′0″	**WIDTH:** 16′0″	**HEIGHT: RIDGE:** 11′ Peak **EAVE:** 7′
11. DIMENSIONS (EXTERNAL GUYED):	**LENGTH:** 16′0″	**WIDTH:** 16′0″	
12. SQUARE FEET INTERIOR: 256 Square Feet			
13. WEIGHT (POUNDS, UNPACKAGED): 570 lbs	**14. WEIGHT (PACKAGED):** 630 lbs		**15. SHIPPING CUBE (PACKAGED):** 26.2 Cubic Feet
16. SHIPPING CONTAINER:	**LENGTH:** 102″	**WIDTH:** 24″	**HEIGHT:** 18.5″
17. SET-UP TIME/NUMBER OF PERSONS: 4 People/30 Minutes		**18. STRIKE TIME/NUMBER OF PERSONS:** 4 People/30 Minutes	

19. PARTS INCLUDED (Include Quantity):
(1) Galvanized metal frame, (1) 15 oz vinyl cover, (3) 15 oz vinyl side panels with mosquito net windows, (1) 15 oz vinyl side panel with mosquito net windows and fabric door, (1) boot connection vestibule, (8) 5/8″x24″ hook stakes, (14) X-Bracing straps, (16) pin & bail, (1) storage bag, (1) resin rotomolded crate with steel exoskeleton, (1) spare/repair kit, (1) instruction manual

20. DESCRIPTION:
Celina's 16′ x 16′ HGPTS is a non-tactical shelter designed to offer an economical solution for humanitarian aid in the event of a natural disaster or conflict worldwide. This shelter is capable of withstanding a steady wind speed of 55 mph with gusts up to 65 mph, 10 psf snow load and 4″ per hour rain load. The shelter is water, ultraviolet, fungus, mildew, and flame resistant. The is a 100% Berry Amendment compliant shelter. 1-Year commercial warranty.

GSA **Contract Holder**
Contract # GS-07F-5874P

MADE IN THE USA • BERRY AMENDMENT COMPLIANT

PRODUCT DATA SHEET

Part #: C14Y016X016-G

21. ACCESSORY AND SUPPORT EQUIPMENT:			
	PART NUMBER OR NSN:	**INCLUDED OR OPTIONAL:**	**DESCRIPTION:**
LIGHT SET Product Data Sheet			Call for additional lighting options
ELECTRICAL OUTLET SET Product Data Sheet			Call for additional electrical options
FLOORING Product Data Sheet			Call for additional flooring options
HEATER Product Data Sheet			Call for additional heating options
AIR CONDITIONER Product Data Sheet			Call for additional air conditioning options
GENERATOR Product Data Sheet			Call for additional generator options
POWER DISTRIBUTION Product Data Sheet			Call for additional power distribution options
TRAILER MOUNTED SUPPORT SYSTEM Product Data Sheet			Not available at this time
INSULATED LINER Product Data Sheet			Not available at this time
INSULATED FLOORING Product Data Sheet			Not available at this time
22. SNOW LOAD: 10 psf	**23. WIND LOAD:** 55 mph		**24. RAIN LOAD:** 4" per hour

PRODUCT DATA SHEET

Part #: HT299NB

HUMANITARIAN GENERAL PURPOSE SHELTER (HGPTS), WHITE

CONTRACTOR NAME: Celina Tent, Inc.			
1. PART NUMBER: HT299NB	**2. NSN:**		
3. NAME: Humanitarian General Purpose Tent System (HGPTS)	**4. TYPE:** Frame Structure, Air-Transportable	**5. CLASS:** 00259	
6. COLOR: White	**7. SUPPORT SYSTEM:** Frame	**8. SERIES:** C14	
9. INTENDED USE: General Purpose, Disaster, Billeting, Storage, Command Post			
10. DIMENSIONS (IN FEET AND INCHES):	**LENGTH:** 16′0″	**WIDTH:** 16′0″	**HEIGHT: RIDGE:** 11′ Peak **EAVE:** 7′
11. DIMENSIONS (EXTERNAL GUYED):	**LENGTH:** 16′0″	**WIDTH:** 16′0″	
12. SQUARE FEET INTERIOR: 256 Square Feet			
13. WEIGHT (POUNDS, UNPACKAGED): 570 lbs	**14. WEIGHT (PACKAGED):** 630 lbs	**15. SHIPPING CUBE (PACKAGED):** 26.2 Cubic Feet	
16. SHIPPING CONTAINER:	**LENGTH:** 102″	**WIDTH:** 24″	**HEIGHT:** 18.5″
17. SET-UP TIME/NUMBER OF PERSONS: 4 People/30 Minutes	**18. STRIKE TIME/NUMBER OF PERSONS:** 4 People/30 Minutes		

19. PARTS INCLUDED (Include Quantity):
(1) Galvanized Metal Frame, (1) 15 oz vinyl Cover, (3) 15 oz vinyl side panels with mosquito net windows, (1) 15 oz vinyl side panel with mosquito net windows and fabric door, (1) boot connection vestibule, (8) 5/8″x24″ hook stakes, (14) X-Bracing straps, (16) pin & bail, (1) storage bag, (1) wood crate, (1) spare/repair kit, (1) instruction manual

20. DESCRIPTION:
Celina's 16′ x 16′ HGPTS is a non-tactical shelter designed to offer an economical solution for humanitarian aid in the event of a natural disaster or conflict worldwide. This shelter is capable of withstanding a steady wind speed of 55 mph with gusts up to 65 mph, 10 psf snow load and 4″ per hour rain load. The shelter is water, ultraviolet, fungus, mildew, and flame resistant. 1-Year commercial warranty.

GSA **Contract Holder**
Contract # GS-07F-5874P

PRODUCT DATA SHEET

Part #: HT299NB

21. ACCESSORY AND SUPPORT EQUIPMENT:			
	PART NUMBER OR NSN:	**INCLUDED OR OPTIONAL:**	**DESCRIPTION:**
LIGHT SET Product Data Sheet			Call for additional lighting options
ELECTRICAL OUTLET SET Product Data Sheet			Call for additional electrical options
FLOORING Product Data Sheet			Call for additional flooring options
HEATER Product Data Sheet			Call for additional heating options
AIR CONDITIONER Product Data Sheet			Call for additional air conditioning options
GENERATOR Product Data Sheet			Call for additional generator options
POWER DISTRIBUTION Product Data Sheet			Call for additional power distribution options
TRAILER MOUNTED SUPPORT SYSTEM Product Data Sheet			Not available at this time
INSULATED LINER Product Data Sheet			Not available at this time
INSULATED FLOORING Product Data Sheet			Not available at this time
22. SNOW LOAD: 10 psf	**23. WIND LOAD:** 55 mph		**24. RAIN LOAD:** 4" per hour