



All tools come with

- Forged steel head
- Aircraft grade aluminum handle
- Black anodized handle
- Knurled handle
- Aircraft grade titanium shaft
- Aircraft grade aluminum trigger
- Forward trigger placement or push button
- Extend and collapse with one hand



RAM CUT CLIMB BREACH

MADE IN  THE USA



www.ruhltech.com
(910) 497-3172
Fax (910) 497-2067
order@ruhltech.com



www.ruhltech.com
(910) 497-3172
Fax (910) 497-2067
order@ruhltech.com

1 Man Ram (9 in.) Ram-X



Also available with guard

- Approx Weight.....25 lbs.
- Face Diameter5 in.
- Body Length.....9 in.
- Handle Grip Width....5 in.
- Face Thickness.....2 in.

This Ram comes with

- Knurled handle grips
- Rotating handle grips
- Removable rear plug
- Hollow fillable body
- Structural Grade Steel Body
- Black protective coating
- Cold-rolled steel face
- Bevel-edged face

1 Man Ram (14 in.) Ram-XX



Also available with guard

- Approx Weight.....30 lbs.
- Face Diameter6 5/8 in.
- Body Length.....14 in.
- Handle Grip Width....5 in.
- Face Thickness.....1 in.

This Ram comes with

- Knurled handle grips
- Rotating handle grips
- Removable rear plug
- Hollow fillable body
- Structural Grade Steel Body
- Black protective coating
- Cold-rolled steel face

1 Man Ram (18 in.) Ram-XXX



Also available with guard

- Approx Weight.....35 lbs.
- Face Diameter6 5/8 in.
- Body Length.....18 in.
- Handle Grip Width....5 in.
- Face Thickness.....1 in.

This Ram comes with

- Knurled handle grips
- Rotating handle grips
- Removable rear plug
- Structural Grade Steel Body
- Black protective coating
- Cold-rolled steel face

Double Side Half Bar Door DS-007



Door Width32 in.
Door Height80 in.

Also Available:

- Double side full bar door
- Double side door


Free Standing 3-in-1 Door DS-3N1



Door Width41 1/2 in.
Door Height84 in.
Thickness3 1/4 in.

- Structural grade tubing
- Slide plate

Security Gate SG-001



Width63 1/2 in.
Height.....60 in.

- 1x1 Square tubing
- 14-gauge sheet metal skin
- Barn Door Hinges
- Barrel Bolts

Single Side Full Sheet Door DS-010



Door Width32 in.
Door Height80 in.

Also Available:

- Full bar door
- Single side half bar door
- Double side half bar door
- Double side steel door

Door Stand DS-ST



Door Width32 in.
Door Height80 in.

- Rotating handles

Trigger Replacement



- 1- Trigger
- 1- 20 oz. tube Threadlocker
- 1- Spring
- 1- 5/32" Allen wrench
- 1- 1/4-20x1/4 button head cap screw
- 2- 1/4-20x5/8 button head screw cap



Folding Rung Ladder LRL-004



Approx Weight..... 13.6 lbs.
 Height..... 6 ft.
 Rung/Step Width9 3/4 in.
 Collapsible Yes

- 1-Year warranty


Folding Pole w/ Dual Step LRL-DS-006



Approx Weight..... 10.1 lbs.
 Height..... 7.5 ft.
 Rung/Step Width 5 in.
 Collapsible Yes

- 1-Year warranty


Folding Pole w/ Alternating Step LRL-006



Approx Weight..... 9.3 lbs.
 Height..... 7.5 ft.
 Rung/Step Width 12 in.
 Distance between each step 18 in.
 Collapsible Yes

- 1-Year warranty

Cable Ladder LRL-001



Approx Weight..... 9.7 lbs.
 Height..... 19 ft.
 Rung/Step Width 15 in.
 Collapsible Yes


- Flexible stainless steel
- 1-Year warranty

Solid Ladder 6 ft. LRL-002



Approx Weight..... 12.1 lbs.
 Height..... 6 ft.
 Rung/Step Width 9 in.
 Collapsible No
 • Aircraft grade aluminum with thick protective coating
 • 1-Year warranty

Solid Ladder 9 ft. LRL-003



Approx Weight..... 18 lbs.
 Height..... 9 ft.
 Rung/Step Width 9 in.
 Collapsible No
 • Aircraft grade aluminum with thick protective coating
 • 1-Year warranty

Hook Set LH-002



- Anodized
- Aircraft grade aluminum

For use with the Ruhl Tech Solid Breaching Ladder or Ruhl Tech Folding Ladders


Ladder Connectors LC-008



- Anodized
- Aircraft grade aluminum

For use with the Ruhl Tech Solid Breaching Ladder
ONLY

12' Folding Tactical Bridging Ladder BRL-012



Approx Weight..... 49 lbs.
 Height..... 12 ft.
 Ladder Width..... 21 in.
 Rung/Step Width 12 in.

- Aircraft grade aluminum with thick protective coating
- 1-Year warranty


18' Folding Tactical Bridging Ladder BRL-018



Approx Weight..... 77 lbs.
 Height..... 18 ft.
 Ladder Width..... 21 in.
 Rung/Step Width 12 in.

- Each ladder can be broken down into two sections.
- Aircraft grade aluminum with thick protective coating
- 1-Year warranty

Lg. Folding Bolt Cutter ALTI-FBC-024



Approx Weight.....6 lbs.
Collapsed Length.....15 1/4 in.
Unfolded Length25 1/2 in.

Breaching Houly ALTI-9428-H



Approx Weight..... 5.8 lbs.
Collapsed Length.....17 1/2 in.
Push Button Available..... Yes

Houly - No Pike ALTI-9428-HPN



Approx Weight..... 5.1 lbs.
Collapsed Length.....17 1/2 in.
Push Button Available..... Yes

Sledge (4 lb.) ALTI-9428-S4




Approx Weight..... 6.8 lbs.
Collapsed Length.....17 1/2 in.
Push Button Available..... Yes

Sledge (6 lb.) ALTI-9428-S6-P



Approx Weight..... 8.8 lbs.
Collapsed Length.....17 1/2 in.
Push Button Available..... Yes

Humphrey PUSH-ALTI-HT



Approx Weight..... 9.6 lbs.
Collapsed Length.....19 1/2 in.
Push Button Available..... Yes

Crash Axe CA-001



Approx Weight.....3 lbs.
Length 18 in.
• Interchangeable end with stainless steel glass break or double saw blade

Hingebreaker ALTI-9429-HB



Approx Weight..... 6.8 lbs.
Collapsed Length.....17 1/4 in.
Push Button Available..... Yes

Hingebreaker 20° ALTI-9429-HB20



Approx Weight.....6 lbs.
Collapsed Length.....17 1/4 in.
Push Button Available..... Yes

Pry Bar ALTI-9430-PB



Approx Weight..... 5.9 lbs.
Collapsed Length.....22 1/2 in.
Push Button Available..... Yes

Breaching Axe ALTI-9431-A



Approx Weight..... 5.6 lbs.
Collapsed Length..... 18 in.
Push Button Available..... Yes

Scanlon ALTI-ST-001



Approx Weight..... 7.1 lbs.
Collapsed Length.....17 1/2 in.
Push Button Available..... Yes

Active Breachers Kit ALTI-CTK



Bolt Cutters

Weight6 lbs.
Collapsed Length.....15 1/4 in.
Extended Length.....25 1/2 in.

Houly

Weight 3.25 lbs.
Collapsed Length..... 15 in.
Extended Length..... 23 in.

Sledge

Weight 5.02 lbs.
Collapsed Length.....14 1/2 in.
Extended Length..... 22 in.